


FIG. 1A

FIG. 1B






FIG. 2A




FIG. 2B





FIG. 3

FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8A




FIG. 8B

FIG. 9A

LEUKO-1, Lot# LEU50511-1MM-12 µg Snt									
Test Date	ID	HPLC		ITLC		Cell Binding Assay			conc during labeling
		Pk Bound		%Free	%Colloid	HL60	293	No Cells	
5/15/95	Froz -11.7mCi	90.91		5.75	0.00	70.21	10.41	4.95	0.71mg/ml
	Lyop -13.2mCi	80.00		2.82	0.00	77.03	7.51	1.89	1 mg/ml
5/30/95	Lyop -4.97mCi	87.70		3.02	0.00	—	—	—	1 mg/ml
	Lyop -16.6mCi	77.35		9.81	0.00	73.10	13.26	4.44	1 mg/ml
6/27/95	Lyop -20.9mCi	77.37		0.00	3.58	70.82	7.52	5.26	1 mg/ml
7/19/95	Lyop -19.3mCi	78.48		0.00	0.00	70.54 81.18(NEW)	14.28	10.62	1 mg/ml
8/4/95	RhoMed -15.45mCi	84.11		6.15	0.00	78.04	15.95	7.36	1 mg/ml
	UCLA -16.58mCi	84.08		5.46	0.00	81.65	12.59	5.54	1 mg/ml

A

A

FIG. 9B

8/21/95	t-30 min	83.56	0.00	3.16	74.28	17.08	8.50	1 mg/ml
	-19.00mCl		9.68%**					
	t-2.5 hrs	86.70	0.00	4.36	77.66	11.38	4.90	1 mg/ml
9/7/95	-19.00mCl		3.20%**					
	t-30 min	90.12	0.00	3.30	72.63	16.14	6.56	1 mg/ml
	t-2.5 hrs	92.81	*8.18	*4.48	82.56	10.47	7.39	1 mg/ml
Vial # 18	t-23 hrs	86.36	0.00	7.34				
			*10.49	*7.75				
	t-23 hrs		3.51	5.84	80.13	6.10	3.45	1 mg/ml
9/7/95	t-23 hrs		*11.09	*6.87				
	t-30 min	92.16	0.00	4.62	79.54	19.78	8.60	1 mg/ml
Vial # 19	NO Ascorb		*3.00	*4.30				
	t-1 hr	82.87	0.00	7.89	77.00	8.47	3.96	1 mg/ml
			*5.80	*7.75				
With Sscorbic Acid	t-2.5 hrs	89.13	0.00	2.32	75.29	7.77	6.41	0.25mg/ml
			*8.78	*7.15				
	t-24 hrs	80.23	0.00	11.79	74.03	9.83	7.81	after addition of Ascorbic acid
			*4.16	*12.61				

*or** Average of strips counted on Gamma Counter and Dose Calibrator

FIG. 10A

Sample ID	2hrs post labeling		2hrs post labeling		24 hrs post labeling	
	HPLC		ITLC		ITLC	
	% protein Bound	HPLC Yield	% Free	% Colloid	% Free	% Colloid
Standard SOP	86.59	60.63	1.82	3.18	11.89	13.53
w/ascorbic acid during labeling	73.53	37.87	3.47	2.55	17.11	8.42

FIG. IOB




FIG. IOC

